

MATERIAL SAFETY DATA SHEET
 FOR COATINGS, RESINS, AND RELATED MATERIALS
 (Approved by U.S. Department of Labor "Essentially Similar" to Form OSHA-20)

MUSSON NO. 320

DATE OF PREP: 5/11/98

PREPARED BY: Benny R. Wood

NPCA HMIS

H = 1

F = 0

R = 0

SECTION I

MANUFACTURER'S NAME: Advanced Adhesive Technology, Inc.

STREET ADDRESS: 424 S. Spencer St. CITY, STATE & ZIP CODE: Dalton, GA 30722-1423

EMERGENCY TELEPHONE NO.: (706) 226-0610 or (706) 295-3728 or (706) 629-1423

PRODUCT CLASS: Floor Covering Adhesive

MANUFACTURER'S CODE IDENTIFICATION: AAT-320

TRADE NAME: Advanced Air Tech – Carpet Tile and Pad-to-Floor Adhesive

SECTION II – HAZARDOUS INGREDIENTS

INGREDIENT	NTP/IARC/ OSHA CARC	PERCENT	TLV		LEL	VAPOR PRESSURE
			PPM	mg/M3		
Not Applicable Under Current OSHA criteria, this product is not considered hazardous. Non-Carcinogenic Adhesive VOC (Volatile Organic Cpd) Material Applied <10 mg/m2 <10 mg/m2						

SECTION III – PHYSICAL DATA

BOILING RANGE: > 212 Deg. F VAPOR DENSITY: HEAVIER LIGHTER THAN AIREVAPORATION RATE: FASTER SLOWER THAN ETHER

PERCENT VOLATILE BY VOLUME: 45% + or – 2.0% WEIGHT PER GALLON: 8.4 – 8.6 lbs.

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

DOT CATEGORY: Latex emulsion

FLASH POINT: N/A

LEL: N/A

EXTINGUISHING MEDIA: Water; dry chemical or foam.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

SPECIAL FIRE FIGHTING PROCEDURES: None

SECTION V – HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: Not yet determined

EFFECTS OF OVEREXPOSURE: May cause eye and skin irritation after prolonged exposure

EMERGENCY AND FIRST AID PROCEDURES: Eye Contact: Wash with plenty of cold water for at least 15 minutes. Contact a physician if ingested.

SECTION VI – REACTIVITY DATA

STABILITY: UNSTABLE STABLE

INCOMPATIBILITY: *(Materials to avoid)*

CONDITIONS TO AVOID: Closed area with open container

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide by thermal decomposition

HAZARDOUS POLYMERIZATION: MAY OCCUR WILL NOT OCCUR

CONDITIONS TO AVOID: None known

SECTION VII – SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Collect in suitable container, wash area with plenty of soapy water.

WASTE DISPOSAL METHOD: Dispose of according to state, local and Federal regulation

SECTION VIII – SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: Proper ventilation.

VENTILATION: Forced Air.

PROTECTIVE GLOVES: Impervious gloves.

EYE PROTECTION: Glasses or goggles.

OTHER PROTECTIVE EQUIPMENT: Normal work clothes.

SECTION IX – SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in well ventilated area.

OTHER PRECAUTIONS: Follow good housekeeping practices.